CHICAGO COIN


MOTORCYCLE

(MODEL 385)


PARTS CATALOG

CHICAGO DYNAMIC INDUSTRIES, INC.


1725 DIVERSEY BOULEVARD CHICAGO, ILLINOIS 60614 PHONE (312) 935-4600




ITEM	PART NO.	DESCRIPTION
1	385-553	Blower Cabinet Trim
2	385-350-T	Backrack Glass
3	385-525	Speaker Grill
	385-526	Speaker Shield
	378-312	Speaker
4	385-538-L	Cabinet Trim
5	385-250 I	Door Frame & Hinge Assembly
	384-500	Right Side Door Frame
	3811−20 I	Top & Bottom Door Frame
	382-2505	Complete Front Door Ass'y.
6	385-538-T	Cabinet Trim
7	378~300-G	Time Gage
8	385-538-R	Cabinet Trim
9	385-313	Slow & Fast Decal
10	385-315	Credit Lite Window
	#16527	Plastic Bushing
	305-1501	Credit Button
	3-119	Spring
	#6722	E Ring .250
11	385-800	Deck Cover
12	385-540	Dash Board Trim




I TEM	PART NO.	DESCRIPTION
1	289-2560	Complete Knocker Assly.
	181-2518	Plunger & Tip Ass [†] y.
	167-800	Solenoid Tubing
	N-29-2500	Coil Complete
	328-567	Strike Plate
2	#6719	Lock
3	#5700	Toggle Switch
	231-573	Toggle Switch Mounting Plate
ц	378-2556	Socket & Bracket Ass'y.
5	290-524	Corner Protector
6	385-325	White Plastic Screen
7	385-541	Blacklite Board Mounting Bracket
	#5130	Blacklite (18" Long)
	379-506	Socket Mounting Bracket
	#5 239	Socket
	#5726	Ballast
	#57 28	Starter Holder
	#5729	FS-2 Starter
	278-532	Asbestos Pad




ITEM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	271-2520-5-L	Complete Slide Bank Ass'y.	13	#5700	Toggle Switch
	S-27-1700	Coil Complete		231-573	Toggle Switch Mounting Plate
	271-2503-L-5	Reset Bar Ass'y.	14		Coin Relay (See Page 20)
	271-800	Plastic Slide	15		Credit Reset Relay (See Page 20)
		(Refer To Standard Parts	16	#307	Anti-Cheat Switch
		Catalog For Additional	17		Anti-Cheat Relay (See Page 20)
		Parts)	18		Crash Relay (See Page 20)
2	130-2532-D	Complete Credit Unit Ass'y.	19		Blower Relay (See Page 20)
		(Refer To Standard Parts	20	385-301-A	
		Catalog For Parts)	21	#6719	Lock
3	385-2500	Score Reset Ass'y. (See Page 17)		#6877-A	Lock Cam
4	287-2509-A&B	Backdoor Hinge Ass'y.	22	385-300	Amplifier
5	#578I	Transformer	23	#5878	8 Point Socket
6	#5747-6	6 Place Fuse Clip Ass'y.	24	#5879	10 Point Socket
7	#5816	2 Point Socket			
8	#6685	5 Place Terminal Strip			
9		Extended Play Re. (See Page 20)			
10		Slide Bank Reset Re. (See Page 20)			
11	#570 I	Convenience Service Outlet			
12		Accident Re. (See Page-20)			




TEM	PART NO.	DESCRIPTION	1 TEM	PÁRT NO.	DESCRIPTION
1	#5232	Bayonet Socket	12	#5378	Washer
2	#5112	#47 Bulb	13		#8-32 Hex Nut
3	#5 I 27	#455 Flasher Bulb	14		#6 x 1/2" Lg. Rd. Phillip
ц	500-2512	Dummy Drum Assembly			Hd. S.M.S.
5		#6 x 1/2" Lg. Rd. Phillip	15	#5820	10 Point Socket
		Washer Hd. S.M.S.	16		2 Point Socket
6	500-2555	Complete Switch (See Page 15)	۱7		Hi-Score Re. (See Page 20)
7	300-502-2	Mounting Bracket	18		Score Re. (See Page 20)
8	300-503	Support Bracket	19	500-2555	Complete Switch (See Page 15)
9	168-910	Spring Clip	20		Game Timer Motor (See Page 18)
10		#8-32 x 1-1/4" Lg. Carriage	21	#5325	Steel Washer
		Boit	22		#8 x l" Lg. Rd. Phillip Hd.
1]	#5427	#8 Split Type Lockwasher			S.M.S.




1 T EM	PART NO.	DESCRIPTION
1	5750-1892	Outside Lane Motor
2	#5877	6 Point Socket
3		See Page 9
4		See Page 10
5		See Page 12
6		See Page II
7		See Page 20
8		See Page 20
9		See Page 20
10	#5881	14 Point Socket
11	378-313	Rectifier
12	5750-1892	Inside Lane Motor
13	#5877	6 Point Socket
14	#5876	4 Point Socket
15	#5816	2 Point Socket
16		See Page 20
17		See Page 14




1 T EM	PART NO.	DESCRIPTION
1	385-1503	Handle Bar
2	#5387	Steel Washer
3	#6916	Roll Pin
4	#6704	Roll Pin
5	385-2510	Speed Control Cam Ass'y
6	385-306-D	R.P.M. Dial
7	328-1507	Eccentric Lock Stud
8	#5429	Split Lockwasher
9		1/4-20 Hex Nut
10	385-306-C	Temperature Dial
H	385-306-B	Speed Dial
12	385-2526	Complete Console Assiy
	385-802	Instrument Cover
13	385-1518	Handle Bearing Spacer
14	385-801	Handle Grip
15	385-1504	Handle Grip Spacer
16	378-1529	Lock Bushing
17	130-910-21	Spring
18	385-308	Stop Bumper
19	385-311	Needle Roller




1 TEM	PART NO.	DESCRIPTION
1	#6843	Push On Type Tinnerman
2	130-806	Finger Hub
3	130-551	Finger
4	130-581	Grounding Washer
5	130-802	Finger Washer
6		#6-32 x 1/4" Lg. Sems Unit
7	#5305	Washer
8	385-2509	Complete Wiper Finger Ass'y.
9	385-2514	Speed Control Shaft Ass'y.
10		1/4-28 Hex Nut
1.1	#5429	Lock washer
12	#5343	Washer
13	385-1512	Bushing
14	385-2507	Complete Contact Plate Ass'y.
15	385-2535	Mounting Bracket Ass ¹ y.
16	#5338	Washer




ITEM	PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
ı	91-905	Spring Clip	22		#8-32 x 1/2" Lg. R.H.M.S.
2	#5330	Brass Washer	23	#5305	Steel Washer
3		#8-32 x 3/8" Lg. Socket	24	#6075	Rubber Grommet
		Hd. Cap Screw	25	378-509	Mounting Leg
4	#5427	#8 Split Lockwasher	26	378-332	Solenoid
5	378-2509	Arm Assembly	27	189-1502	Arm Pin
6	385-2518	Draw Bar & Post Ass'y	28	378-578	Accident Operating Link
7	385-2519	Support Plate Ass'y	29	#6736	E Ring .156
8	369-549	Bearing Pad	30	#6722	€ Ring .250
9	130-1517-G	Rolled Spacer	31	378-1532	Connecting Pin
10		#8-32 Elastic Stop Nut	32		#8-32 Hex Nut
H	250-900-A	Spring	33	#6713	I/8 x I" Lock Pin
12		#10-32 x 3/4" Lg. Socket	34	385-90 I	Spring
		Hd. Cap Screw	35	378-1531	Shaft Cap
13	#5428	#10 Split Lockwasher	36		1/4-20 x 3/3" Lg. Socket
14	328-304	Oilite Bearing			Hd. Cap Screw
15	385-2511	Steering Column Sub-Ass'y	37	385-2513	Arm Assembly
16	385-1509	Steering Shaft	38	#5338	Steel Washer
17	385-1520	Steering Shaft Spacer	39	385-2517	Operating Arm Assembly
18		#8-32 x 1/2" Lg. Socket	40	378-2554	Bracket Assembly
		Hd. Cap Screw	41	#6724	E Ring .375
19	#5303	Steel Washer	42	378-902	, -
20		#10-32 Elastic Stop Nut	43	378-2510	Arm Link Assembly
21	378-573	Solenoid Mounting Bracket			




1 TEM	PART NO.	DESCRIPTION	LTEM	PART NO.	DESCRIPTION
!		1/4-20 x 1/4" Lg. Socket	16	378-1520	Roadway Shaft
		Set Screw	17	378-1521	Lock Collar
2	378-80 I	Sprocket (I" I.D.)	18		#10-32 x 1/4" Lg. Socket
3	378-314-A	Bicycle Chain (21" Lg.)			Set Screw (Cup Point)
4	378-536	Inner Cam	19	378-2560	Roadway Sprocket Ass'y
5	#6891-8-D	Rolled Spacer	20	378-314-B	Bicycle Chain (23" Long)
6	378-2514	Shaft & Bearing Ass'y	21		#8-32 x 5/16" Lg. Sems
	328-303	Oilite Bearing			Unit
7	385-305	Outer Disc (12" Dia.)	22	#5318	Brass Washer
8		#8-32 x 3/4" Lg. F.H.M.S.	23	#5321	Steel Washer
9	378-1533	Spacer	24	#5427	#8 Split Lockwasher
10	385-2508	Scenery Strip Ass'y	25	378-314	Bicycle Chain (20" Long)
11	-	#8-32 x 1/4" Lg. R.H.M.S.	26	378-802	Sprocket (5/8" 1.D.)
12	378-1534	Spacer	27	378-519	Roadway Support
13	378-2516	Outer Drive Shaft Ass'y	28	#5387	Steel Washer
14	378-537	Outer Accident Cam	29	378-2513	Roadway Drive Shaft Ass'y
15	378-2511	Bearing Support Plate Ass'y	30	385-304	Roadway Disc (16" Dia.)
	328-303	Oilite Bearing	31	385-303	Outer Motorcycle Disc (12")




ITEM	PART NO.	DESCRIPTION
1	378-1511	Linkage Shaft
2	378-603	Steering Link
3	#5477	External Lockwasher
ц	378-604	Adjustable Steering Link
5		#8-32 x 1/2" Lg. Socket
		Hd. Cap Screw
6	#5427	# 8 S plit Lockwasher
7	#5378	Steel Washer
8	#6705	Roll Pin
9		#10-32 x 3/8" Lg. Allen
		Hd. Set Screw
10	378- i 535	Collar
1.1	385-2520	Projection Lite Ass ¹ y.
12	#6075	Rubber Grommets
13	378-2536	Projection Lite Mtg.
		Bracket
14	378-2524	Lite Mtg. Bracket Ass'y.
15	378-2533	Steering Link Ass'y.
16	#91-905	Retaining Spring
17	#539 I	Steel Washer
18	#5131	6V. Bulb



I TEM	PART NO.	DESCRIPTION
ī		#8-32 x 3/8" Lg. Sems Unit
2	#5318	Brass Washer
3	#273-L	Contact Switch
4	#273-R	Contact Switch
5	378-2525	Contact Mounting Bracket Ass'y.
6	378-2520	Secondary Link Assembly
7	378-2519	Main Link Assembly
8	378-2518	Swivel Bracket Assembly
9	91-905	Spring Clip
10	#5310	Brass Washer
11	378-567	Printed Circuit Mounting Bracket
12	385-2543	Road Printed Circuit Assembly
13	378-1511	Car & Link Shaft
14	378-2523	Mounting Bracket Assembly
15	#6705	Roll Pin




1 TEM	PART NO.	DESCRIPTION
ı	385-900	Wire Form
2	#6737	E Washer .187
3	385-2539	Motorcycle Man &
		Bushing Ass'y
14	385-2505	Mounting Bracket Ass'y
5	385-2538	Armature & Bracket
		Ass¹y
6	129-905	Spring
. 7	K-29-1400	Coil Complete
8	129-2520-L	Coil & Eyelet Mounting
		Bracket Ass'y
9		#6-32 x 1/4" Lg. Sems
		Unit
10		#10-32 x 3/8" Lg.
	•	R.H.M.S. Brass
11	#5428	#10 Split Lockwasher
12	#530I	Brass Washer




ITEM	PART NO.	DESCRIPTION
-	385-310	Display Sign
2	385-532	Socket Mtg. Bracket
3	#5116	Fluorescent Lamp 20W
4	385-1515	Blower Tube
5	#5700	Toggle Switch
6	385-535	Blower Motor
7	385-505	Blower Mtg. Bracket
8	385-506	Blower Motor Clamp
9	#5726	Ballast
10	#5729	Starter (FS-2)
11	#5728	Starter Holder
12	#5727	Fluorescent Socket

RESISTOR BOARD ASSEMBLY




ITEM	PART NO.	DESCRIPTION					
1		Speed Control Re. #4 (See Page 20)					
2		Speed Control Re. #3 (See Page 20)					
3		Speed Control Re. #2 (See Page 20)					
ц		Speed Control Re. #1 (See Page 20)					
5	5606-H	750K 1/2 W Resister (5%)					
6	5610-G	390K 1/2 W Resister (10%)					
7	5610-F	220K 1/2 W Resister (10%)					
8	56!0-E	100K 1/2 W Resister (10%)					
9	5610-D	33K 1/2 W Resister (10%)					
10	5611-C	I OHM 2 W Wire Wound Resister					
11	5611-A	6 OHM 2 W Wire Wound Resister					
12	5611-B	10 OHM 2 W Wire Wound Resister					
13	385-2549	Resister Board & Terminal Ass'y.					


CHICAGO DYNAMIC INDUSTRIES




I T EM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	500-2520	Printed Circuit Ass'y	14	300-903	Spring
2		#6-32 x 1/4" Lg. Sems Unit	15	500-2501	Mounting Plate Sub-Ass'y
3	500-2519	Wiper Finger Ass'y	16	300-1500	Operating Plunger
4	#5392	Steel Washer	17	#6737	E Ring .187
5		#6-32 x 3/8" Lg. Type "F"	18	#5477	External Lockwasher
		Phillip Hd. Self Tapping	19		#8-32 x 3/8" Lg. Type "B"
		Screw			Thumb Screw
6	N24-700X	Coil Complete	20	300-901-A or B	Spring
7	147-808	Plastic Tubing	21	500-805	Adjustable Stop
8	#5427	#8 Split Lockwasher	22		#6-32 x 3/16" Lg. Sems Unit
9		#8-32 x 3/8" Lg. Type "F"	23	500-801	Cam & Ratchet
		Phillip Hd. Self Tapping	24	500-800-WB	Drum
		Screw	25		#4 x 3/8" Lg. Type "Z"
10	500-2508	Coil Mtg. Bracket			Phillip Hd. Self Tapping
- 11	130-904	Spring			Screw
12	500-804	Holding Pawl	26	#6811	Roll Pin
13	30 0 -902	Retaining Spring	27	500-802-A	Operating Arm




- I. #7 PAD
- 2. COMMON FOR ALL PADS
- 3. #6 PAD
- 4. END OF STROKE SWITCH
- 5.) CIRCUIT FOR RETURNING DRUM
- 6. UNIT TO ZERO POSITION
- 7. #0 PAD
- 8. #9 PAD
- 9. #3 PAD
- 10. #2 PAD
- II. #I PAD
- 12. #5 PAD
- 13.) SERIES CIRCUIT ON ALL DRUM UNITS TO
- 14.) COMPLETE CIRCUIT TO SLIDE BANK RESET RELAY.
- 15.) TRANSFER CIRCUIT FROM ONE DRUM
- 16. UNIT TO ANOTHER IF USED
- 17. #4 PAD
- 18. #8.PAD




ITEM	PART NO.	DESCRIPTION	ITEM	DESCRIPTION
1	115-501-F	Cam Rider Plate	#5750-1625	Score Reset Motor
2	115-508	Cam Rider	367-2513	Score Reset Motor
3	#63	Contact Switch		& Contact Bracket
4	#61-A	Contact Switch		Plate Ass'y.
5	#62-A	Contact Switch	#5758	Slide On-Off Switch
6	115-501-E	Cam Rider Plate		
7	#326	Contact Switch		
8	#17	Contact Switch		
9	190-572	Plastic Cam		
10	#57	Contact Switch		
11	#62	Contact Switch		
12	115-501-B	Cam Rider Plate		
13	190-518	Plastic Cam		
14	190-581	Plastic Cam		




ITEM	PART NO.		1 T EM	DESCRIPTION
	115-501-F	Cam Rider Plate	5750-1851-B	Timer Motor
2	115-508	Cam Rider	378-565	Timer Motor Mounting Plate
3	60	Contact Switch	378-2557	Contact Switch Bracket Ass'y.
4	17	Contact Switch		
5	17	Contact Switch		
6	234	Contact Switch		
7	190-549-A	Plastic Cam		
8	190-587	Plastic Cam		






ITEM	PART NO.	DESCRIPTION ITEM	PART NO.	DESCRIPTION
1	382-800	Coin Entry Molding	326-309-A	(2 x 10 Yen - I Play (Japanese)
		(Specify Opening)	326-309-B	(50 Yen - 3 Plays) (Japanese)
2	326-305-A	Coin Denomination Windows	326-309-C	(50 Yen - I Play) (Japanese)
		(2 Nickels - I Play Specify)	326-309-D	(100 Yen - 3 Plays) (Japanese)
	326-305-B	(10¢ - 1 Play)	326-310-A	(1/2 Franc - Play) (French)
	326-305-C	(25¢ - 3 Plays)	326-310-B	(I Franc - 3 Plays) (French)
	326-305-D	(5¢ - 1 Play)	326-310-C	(I Franc - 4 Plays) (French)
	326-305-E	(25¢ - 5 Plays)	326-310-D	(I Franc - I Play) (French)
	326-305-F	(25c - 6 Plays)	326-310-E	(2-20 Centimes - I Play) (French)
	326-305-G	(10¢ - 2 Plays)	326-310-F	(100 Franc - I Play (French)
	326-305-H	(3 Nickels - I Play)	326-310-G	(50 Centimes - 1 Play) (French)
	326-305-J	(I Dime & I Nickel - I Play)	326-310-H	(1 Franc - 2 Plays) (French)
	326-305-K	(I Quarter - 2 Plays)	326-311-A	(6d - Play) (British)
	326-306-A	(2 x 10 Pfenning - 1 Play) (German)	326-311-B	(One Shilling - I Play) (British)
	326-306-B	(50 Pfenning - 3 Plays (German)	326-311-C	(Two Shillings - 2 Plays) (British)
	326-306-C	(I D.M 6 Plays) (German)	326-311-D	(Two Shillings - 4 Plays) (British)
	326-307-A	(50 Lire - I Play) (Italy)	326-311-E	(One Shilling - 3 Plays) (British)
	326-307-B	(100 Lire - 2 Plays) (Italy)	326-312-A	(I Dinar - 2 Plays) (Yugoslavia)
	326-308-A	(2 x 25 Ore - 1 Play) (Swedish)	326-312-B	(50 Para - I Play) (Yugoslavia)
	326-308-B	(Krone - 3 Plays) (Swedish)	326-312-C	(I Dinar - I Play) (Yugoslavia)
	326-308-C	(50 Ore - I Play) (Swedish)	326-313-A	(I S pel - $25c$) (Holland)
			326-313-B	(Gulden) (4 Spelen) (Holland)
			326-315	(I Krona - I Play) (Swedish)



RELAY NAME	COIL	29-2516-3 OR 4 (SLOTS)		CONTACT SWITCHES				
		ARMATURE	Α	В	C	D	Ε	F
Hi-Score Re.	D-28-1100	3 Slots	#28	#28	#28			
Score Re.	D-28-1100	4 Slots	#28	#28	#28	#28		



RELAY NAME	COIL	129-2511-3 THRU 6 (SLOTS	S)	CONTACT SWITCHES					
		ARMATURE	A	В	С	D	E	F	
Blower Re.	K-28-1200	3 Slots	#48						
Crash Re.	K-28-1100	5 Slots	#27	#26	#26	#26	#43		
Anti-Cheat Re.	K-29-1600	4 Slots	#27	#26	#26	#31			
Credit Reset Re.	K-28-1200	4 Slots	#27	#26	#26	#26			
Coin Re.	K-29-1400	3 Slots	#27	#26	#26				
Accident Re.	K-28-1200	5 Slots	#27	#26	#32	#28	#28	#3 I	
Slide Bank Reset Re.	K-28-1200	3 Slots	#27	#26	#28				
Extended Play Re.	K-28-1200	5 Slots	#27	#26	#34	#26	#26	#26	
Speed Control Re. #1	K-28-1200	4 Slots	#28	#31	#31	#31			
Speed Control Re. #2	K-28-1200	5 S lots	#28	#26	#31	#3 I	#31		
Speed Control Re. #3	K-28-1200	5 Slots	#28	#26	#31	#3 I	#3 I		
Speed Control Re. #4	K-28-1200	5 S lots	#28	#26	#31	#31	#31		

